

JM (Jaworski's Medium)

Freshwater algae

Stocks	per 200 ml
(1) Ca(NO ₃) ₂ .4H ₂ O	4.0 g
(2) KH ₂ PO ₄	2.48 g
(3) MgSO ₄ .7H ₂ O	10.0 g
(4) NaHCO ₃	3.18 g
(5) FeNa-EDTA	0.45 g
Na ₂ EDTA	0.45 g
(6) H ₃ BO ₃	0.496 g
MnCl ₂ .4H ₂ O	0.278 g
(NH ₄) ₆ Mo ₇ O ₂₄ .4H ₂ O	0.20 g
(7) Cyanocobalamin	0.008 g
Thiamine HCl	0.008 g
Biotin	0.008 g
(8) NaNO ₃	16.0 g
(9) Na ₂ HPO ₄ .12H ₂ O	7.2 g

Medium	per litre
Stock solutions 1 - 9	1 ml each

Make up to 1 litre with deionised water. For agar, add 15.0 g per litre of Bacteriological Agar. Autoclave at 15 psi for 15 minutes.

Reference

Jaworski, G.H.M.; Talling, J.F.; Heaney, S.I. (1981). The influence of carbon dioxide-depletion on growth and sinking rate of two planktonic diatoms in culture. *British Phycological Journal*, 16(4), 395–410. – adapted for CCAP

Reviewed: 24th January 2024

Created on: 05 Nov 2019	CCAP (Culture Collection of Algae and Protozoa), SAMS Ltd, Scottish Marine Institute, Oban, Argyll, PA37 1QA, UK Tel: +44 (0)1631 559000 Fax: +44 (0)1631 559001 Email: ccap@sams.ac.uk Web: www.ccap.ac.uk	Page: 1 of 1
----------------------------	---	--------------