

PER (Peranema Medium)

Freshwater medium

Medium	per litre
Soil extract with salts (SES - see recipe)	1.0 litre
"Complan" *	1.0 g

Autoclave at 15 psi for 15 minutes.

Supply

* HJ Heinz Co Ltd, Hayes Park, Hayes, Middlesex, UB4 8AL

SES (Soil Extract with Added Salts)

Freshwater and terrestrial protozoa and marine algae

Stocks	per litre
(1) K_2HPO_4	1.0 g
(2) $MgSO_4 \cdot 7H_2O$	1.0 g
(3) KNO_3	10.0 g

Medium	per litre
Stock solutions 1 - 3	20.0 ml each
Soil extract (SE - see recipe *)	100.0 ml

* At the CCAP, SE1 is used for marine algae, SE2 for freshwater and terrestrial protozoa.

Make up to 1 litre with deionized water and autoclave at 15 psi for 15 minutes.

SE1 (Soil Extract 1)

used in media for marine algae

Preparing the soil

Site selection for a good soil is very important and for most purposes a soil from undisturbed deciduous woodland is best. Sites to avoid are those showing obvious signs of man's activity and particular care should be taken to avoid areas where fertilizers, crop sprays or other toxic chemicals may have been used.

A rich loam with good crumb structure should be sought. Stones, roots and larger invertebrates should be removed during an initial sieving through a 1 cm mesh. The sieved soil should be spread to air dry and hand picked for smaller invertebrates and roots. It should be turned periodically and picked over again. When dry it may be sieved through a finer mesh (2-4 mm) or stored as it is prior to use.

Medium

Soil is prepared as above. Air-dried soil and twice its volume of supernatant distilled water are autoclaved together at 15 psi for 2 hours and left to cool. The supernatant is then decanted and filtered through Whatman No 1 filter paper, then distributed to containers in volumes suitable for making up batches of media. The aliquots and their containers are autoclaved for an appropriate length of time (e.g. 1 litre or less for 15 minutes) and are then kept in a cool place (e.g. a refrigerator) until required.

SE2 (Soil Extract 2)

Freshwater and terrestrial protozoa

Preparing the soil

As SE1.

Medium

Soil is prepared as above. 105 g of air-dried sieved soil and 660 ml of deionized water are placed in a 1 litre bottle and autoclaved once at 15 psi for 15 minutes, then again after 24 hours. The contents of the bottle are left to settle (usually for at least a week) and then the supernatant is decanted and filtered. The final pH should be 7.0 - 8.0.